



PHONE: (713) 649-7769
 FAX: (713) 649-0921
 1-800-373-7769
 www.metaltags.com



PROPEN P-5000

The P5000 micro-percussion technology provides consistent, quality marks without additional consumables.

Owning a P5000 quickly optimizes the cost/productivity/marketing quality ratio, with its 5 characters per second mark. It's easy to set up and easy to operate. No specific training is needed, and a PC is not required. Plug it in, input your data into the on-board software and make your mark.



The P5000's design quickly adapts to part height (height up to 300mm/12 inches). Plus, it marks all types of materials up to a hardness of 62 HRC.

Accessories include tag feeders and a range of rotary devices.

SELF-CONTAINED AND AUTONOMOUS

The compact P5000 can sit on any bench or table; it does not need a computer or separate controller as it offers an integrated control unit. Plus, thanks to its USB ports, this marking machine supports extended memory functions and easy connectivity to peripherals.


PROPEN P5000 MARKING MACHINE electromagnetic or pneumatic	\$7395.00
<p>Operator manually loads each tag. Computer marks 3 to 4 letters per second. Any shape or thickness can be marked.</p>	

TECHNICAL INFORMATION

- Power: pneumatic or electromagnetic
- Marking area: 100x120 mm (3.937" x 4.724")
- Character size: 0.5 -100 mm (0.1 mm increments) (0.02" x 3.937") (0.004")
- Height of the part to be marked: max. 300 mm (12.205")
- Dimensions (L x W x H): 601 mm x 327.5 mm x 734 mm (23.661" x 12.894" x 28.898")
- Weight: 34 kg (74.957 lb)
- Standard marking tool: PN22 or EM11/c



PHONE: (713) 649-7769
 FAX: (713) 649-0921
 1-800-373-7769
 www.metaltags.com



PART # 50685
COST: \$140.00

Industrial footswitch
 This heavy-duty footswitch is used for launching hands-free marking in harsh environments.
 Products: P5000



PART # 50687
COST: \$65.00

A well-lit marking area makes quick & easy aligning parts.



PART # 52558
COST: \$255.00

This protective cover, robust and waterproof, enables you to protect your machine from a harsh environment.



PART # 51909
PN-22
COST: \$215.00

Replacement stylus for pneumatic machines.



PART # 50686
COST: \$210.00

Start/Stop switch box.
 user typically uses keyboard this allows easier operation



Pw05 SOFTWARE.
 Allows the user to run jobs from a PC and import spreadsheets. See Screenshot.


PART # 51416
COST: \$1495.00



PHONE: (713) 649-7769
 FAX: (713) 649-0921
 1-800-373-7769
 www.metaltags.com



NAMEPLATE FIXTURES




Manual nameplates vise

Holds up to a 4" x 4" nameplate with adaptor to attach to base

If you are considering this vise, please submit a sample of your nameplate to make sure it is compatible

PART # 55427 \$749.00



Nameplate Holder (Baseplate) Magnetic Clamp

These parts are to be used together. The baseplate provides a metal platform to mark the tag. The magnetic clamp holds the nameplate in place.

PART # 52545 \$450.00
 (BASEPLATE)

PART # 52546 \$195.00
 (CLAMP)



open/close valve switch

PRO-Vise

Holds up to 4" x 4" nameplate with adaptor to attach to base

Very fast operation with excellent nameplate holding.

If you are considering this vise, please submit a sample of your nameplate to make sure it is compatible.

clamping action uses air pressure to open and close vise.

PART # 70454 \$1195.00



PHONE: (713) 649-7769
 FAX: (713) 649-0921
 1-800-373-7769
 www.metaltags.com



Propen Rotary Devices



<p>DP3500</p> <p>Weight of the part to mark <4kg</p> <ul style="list-style-type: none"> • Maximum inertia: 17.09 lb.in² (50 kg.cm²) • External Clamping: from 0.12 to 2.99" (3 to 76mm) • Internal clamping: from 0.91 to 3.56" (23 to 98mm) • Rotation speed: from 5 to 240 turns/min 	<p>\$3295.00</p>
<p>DP4500</p> <ul style="list-style-type: none"> - Part maximum inertia time: With chuck: 3400Kg.cm² Without chuck: 3500 Kg.cm² - Rotation speed: From 3 to 180 turns/min - Clamping: Exterior: Ø from 30 to 152 mm (1.18" to 5.98") Interior: Ø from 3 to 125 mm (0.12" to 4.92") 	<p>\$5995.00</p>